AK

	Application No.	Applicant(s)
Notice of Allowability		
	10/053,858	MAKSIMOVIC ET AL.
	Examiner	Art Unit
	Terry D. Cunningham	2816
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the RCE filed 19 May 2005.		
2. The allowed claim(s) is/are <u>1,3-12,14-23 and 25-33</u> .		
3. The drawings filed on 19 January 2002 are accepted by the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ul>		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 Motion of Informal D	atent Application (PTO-152)
Notice of Preferences Gleek (PTO-992)     Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	•
	Paper No./Mail Date	e
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9. Other	

Art Unit: 2816

## STATEMENT OF REASONS FOR ALLOWANCE

The claims now make it clear that the "determination" operation of the "power supply adjustment circuitry" is responsive to the "next sequential clock edge". Therefore, it would be now understood that both the "power supply adjustment circuitry" and the "plurality of delay cells" are responsive to the "next sequential clock edge". Further, Examiner points out that it is clear from the disclosure and the context (e.g., the generating operation in lines 12-13) that the "determine" step in line 9 is a conditional determination. In other word, the circuit is determining whether or not the stated condition exists and provides the "generate" step of lines 12-13 according to the determined condition. While the applied reference is seen to detect the state of sequential "delay cells", it is not seen that such provides the operation in response to the "next sequential clock edge". Since none of the cited prior art references are seen to disclose the recited structure, the case is in condition for allowance.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Terry Cunningham whose telephone number is 571-272-1742.

The examiner can normally be reached on Monday-Thursday from 7:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy P. Callahan can be reached on 571-272-1740. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Art Unit: 2816

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TC July 25, 2005 Terry D. Cunningham Primary Examiner Art Unit 2816